



Product Catalogue

Tactile Indicators


Stair Nosings

Entrance Mats


Urban

TACTILE INDICATORS


OUR RANGE



● Stainless Steel & Brass




Concentric Classic
CCSS1




Black Carbide Classic
CSSBC1



Concentric Classic
CCB1



Black Carbide Classic
CCB1C



Specifications	
Product	Concentric Classic, Carbide Classic
CODE(S)	CCSS1, CSSBC1, CCB1, CCB1C
Profile Material	Solid 316 Stainless Steel
Insert Material	N/A, Epoxy Based Carborundum Insert
Dimensions (Overall)	35mm (Dia) x 5mm H
Product Warranty	7 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Fixed With Adhesive

● Poly Studs



Concentric Classic Black
CCPS1B




Concentric Classic Yellow
CCPS1Y



Concentric Classic White
CCPS1W




Concentric Classic Grey
CCPS1G



Specifications	
Product	Concentric Classic PolyStud
CODE(S)	CCPS1B, CCPS1Y, CCPS1W, CCPS1G
Profile Material	UV Stable Polymer
Insert Material	N/A
Dimensions (Overall)	35mm (Dia) x 5mm H
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Pressure Fit

● Colour Series Stainless



Black PolyRing
CSSBPR




Red Polyring
CSSPRR



White Polyring
CSSPRW




Yellow Polyring
CSSPRY



Specifications	
Product	Classic Polyring
CODE(S)	CSSBPR, CSSPRR, CSSPRW, CSSPRY
Profile Material	Solid 316 Stainless Steel
Insert Material	PVC Insert
Dimensions (Overall)	35mm (Dia) x 5mm H
Product Warranty	7 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Adhesive Fixed

● Colour Carborundum



Black Carbide
CSSBC1




Red Carbide
CSSBC1R



White Carbide
CSSBC1W



Yellow Carbide
CSSBC1Y



Specifications	
Product	Colour carbide
CODE(S)	CSSBC1, CSSBC1R, CSSBC1W, CSSBC1Y
Profile Material	Solid 316 Stainless Steel
Insert Material	Epoxy Based Carborundum Insert
Dimensions (Overall)	35mm (Dia) x 5mm H
Product Warranty	7 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Adhesive Fixed

● ClearTac Poly Pads



ClearTac Pad Black
300PB



ClearTac Pad Grey
300PG



ClearTac Pad Beige
300PBE



ClearTac Pad Yellow
300PY



Specifications	
Product	Concentric Classic PolyStud Pad
CODE(S)	300PB, 300PY, 300PG, 300PBE
Material	UV Stable Polymer
Dimensions (Overall)	300mm x 300mm
Insert Type	N/A
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Self-Adhesive

● Stainless Steel Pads



Concentric Classic
CSS1P



Black Carbide Classic
CSSBC1P



Concentric Classic Black
CSSBPRP



Concentric Classic Yellow
CSSPRYP




Specifications	
Product	Classic Stainless, Carborundum, PVC Pads
CODE(S)	CSS1P, CSSBC1P, CSSBPRP, CSSPRYP
Profile Material	Solid 316 Stainless Steel
Insert Material	N/A, PVC, Epoxy Based Carborundum Insert
Dimensions (Overall)	35mm (Dia) x 5mm H
Product Warranty	7 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Fixed With Adhesive

STAIR NOSINGS


OUR RANGE




● Premium Carborundum Series




Cleartread
1C10



Cleartread
1C10BA



Cleartread
1C10FL




Cleartread
1C35


Variable Profiles

Specifications	
Product	Cleartread - Premium Carborundum
CODE(S)	1C10, 1C10BA, 1C10FL, 1C35
Profile Material	Alloy: 6060, Temper: T5
Insert Material	Solid Epoxy Based Carborundum - Heavy Duty, External Grade
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed

● Abrasive Series




Cleartread
1CT10



Cleartread
1CT10BA



Cleartread
1CT10FL




Cleartread
1CT35


Variable Profile

Specifications	
Product	Cleartread - Abrasive Insert
CODE(S)	1CT10, 1CT10BA, 1CT10FL, 1CT35
Profile Material	Alloy: 6060, temper: T5
Insert Material	Molded Polyurethane Abrasive Insert - Heavy Duty, External Grade
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed

● Rubber Insert Series




Cleartread
50TP10



Cleartread
50TP10CA



Cleartread
50TP10FL




Cleartread
50TP35


Variable Profile

Specifications	
Product	Cleartread - Rubber Insert
CODE(S)	50TP10, 50TP10CA, 50TP10FL, 50TP35
Profile Material	Alloy: 6060, Temper:T5
Insert Material	Thermo Plastic
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P4
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed


● Aluminium Ribbed Series



Cleartread
1C10AR



Cleartread
1C10ARB



Cleartread
CTACLA




Cleartread
CTACLB


Variable Profile

Specifications	
Product	Cleartread - Aluminium Ribbed
CODE(S)	1C10AR, 1C10ARB, CATCLA, CTACLB
Profile Material	Alloy: 6060, temper: T5
Insert Material	Aluminium - Heavy Duty, External Grade
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed


● Carborundum 4C Series




Cleartread
4C10



Cleartread
4C10CA



Cleartread
4C10FL




Cleartread
4C35

Variable Profile

Specifications	
Product	Cleartread - Carborundum 4C
CODE(S)	4C10, 4C10CA, 4C10FL, 4C35
Profile Material	Alloy: 6060, Temper: T5
Insert Material	Solid Epoxy Based Carborundum - Heavy Duty, External Grade
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:12009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed


● Silhouette Series



Cleartread
1CT10BA



Cleartread
1C10ARB



Cleartread
1C10ARB




Concentric Classic
CCSS1B

Variable Profile

Specifications	
Product	Cleartread - Black Shadow
CODE(S)	1CT10BA, 1C10BA, 1C10ARB, CCSS1B
Profile Material	Alloy: 6060 Temper: T5
Insert Material	Various
Dimensions (Overall)	Varies
Product Warranty	4 Years (7 Years for Classic tactile)
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:12009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed


Regal Series




Cleartread
1CT10REG



Cleartread
50TP10CA



Cleartread
CTACLG




Cleartread
1CT35REG


Variable Profile

Specifications	
Product	Cleartread - Regal
CODE(S)	1CT10REG, 50TP10CA, CTACLG, 1CT35REG
Profile Material	Alloy: 6060, temper: T5
Insert Material	Varies
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4.1:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed


Inlays & Inserts



Cleartread Inlay
1CI



Cleartread Inlay
1CIAL



Cleartread Inlay
1CIALB



Cleartread Inlay
4CI


Variable Profile

Specifications	
Product	Inlays & Inserts Series
CODE(S)	1CI, 1CIAL, 1CIALB, 4CI
Profile Material	Alloy: 6060, Temper: T5
Insert Material	Varies
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4.1:2009, BCA 2014
Fixing Method	Glue Fixed


● Anti-Slip Tape




Anti-Slip Tape Black
TPB



Anti-Slip Tape Grey
TPG



Anti-Slip Tape White
TPW




Anti-Slip Tape Yellow
TPY

Variable Profile

Specifications	
Product	Anti-Slip Tread Tape
CODE(S)	TPB, TPG, TPW, TPY
Material	Vinyl Backed Carborundum Tape. Heavy Duty, External Grade
Dimensions (Overall)	50mm
Product Warranty	1 Year
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:1:2009, BCA 2014
Fixing Method	Self Adhesive

● Industrial Abrasive Series



Cleartread
1CIA70



Cleartread
1CIA70



Cleartread
1CIA78



Cleartread
1CIA78

Variable Profile

Specifications	
Product	Industrial Abrasives
CODE(S)	1CIA70, 1CIA78
Profile Material	Solid Epoxy Based Carborundum – Heavy Duty, External Grade
Insert Material	N/A
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.4:1:2009, BCA 2014
Fixing Method	Screw Fixed/Glue Fixed

ENTRANCE MATS

OUR RANGE




● Entrance Mats



Treadmat Carpet
TT1CPT



Treadmat Carbide
TT1CCAR



Treadmat Ribbed
TT1RBD



Treadmat Coir
TT1COI

Specifications	
Product	Entrance Mats
CODE(S)	TT1CPT, TT1CCAR, TT1RBD, TT1COI
Profile Material	Alloy: 6060, Temper: T5
Insert Material	Thermo Plastic, Course Carpet, Carborundum Silicon Carbide,
Dimensions (Overall)	Varies
Product Warranty	4 Years
Slip Rating	P5 (Highest)
Compliance Code	AS/NZS1428.41:2009, BCA 2014
Fixing Method	Heavy Duty - Internal/External

URBAN

OUR RANGE



Bike Rack - Hoop Series



Specifications	
Product	Bike Hoop
CODE(S)	BH850
Material	304 Stainless Steel with Electro-Polish Finish
Dimensions (Overall)	850W x 850H
Product Warranty	7 Years
Code Compliance	AS/2890.3(2015)
Fixing Method	Mechanical

Bike Rack - Multi Bike Series



Specifications	
Product	Multiple Bike Series
CODE(S)	BH2000
Material	304 Stainless Steel with Electro-Polish Finish
Dimensions (Overall)	2000W x 850H x 850D
Product Warranty	7 Years
Code Compliance	AS/2890.3(2015)
Fixing Method	Mechanical

Skate Deterrents



Specifications	
Product	Skate Deterrent Ramped
CODE(S)	SD RAMPED
Material	Solid 316 Stainless Steel - Polished Finish
Dimensions (Overall)	40mm H x 120mm L x 15mm D
Product Warranty	7 Years
Slip Rating	N/A
Compliance Code	N/A
Fixing Method	Adhesive Fixed

Bollards



Specifications	
Product	Bollards
CODE(S)	BOLL
Material	Powder Coated Steel
Dimensions (Overall)	1084mm H x 140mm (Dia)
Product Warranty	7 Years
Slip Rating	P5 (Highest)
Compliance Code	N/A
Fixing Method	Mechanical

● Speed Humps



Specifications	
Product	Speed Humps
CODE(S)	SH01
Material	UV Resistant Rubber
Dimensions (Overall)	Variable
Product Warranty	4 Years
Fixing Method	Screw Fixed/Glue Fixed

● Wheel Stops



Specifications	
Product	Wheel Stops
CODE(S)	WHEEL
Material	UV Resistant Rubber
Dimensions (Overall)	1650mm W x 100mm H x 140mm D
Product Warranty	4 Years
Fixing Method	Screw Fixed/Glue Fixed



sales@sydneystairnosing.com.au



www.sydneystairnosing.com.au



1300 858 884



sales@clearviewtactiles.com.au



www.clearviewtactiles.com.au



1300 884 948



Display Centre & Factory Outlet

Unit 6 398 Marion Street
Condell Park
NSW, 2200